# Setting WiFi connection with wireless IP Cameras

### Before you begin you will need:

- Camera <u>MUST</u> be WIRED directly to your router and <u>powered on</u>
- Router IP address range
- Gateway address (this is your router's IP address)

>You will need to install the IPC Search software located here:

http://files.zmodo.com/Software%20Files/NVR%20Tools/IPCSearch1.0.15\_Setup.exe

#### Once installed:

>Click "refresh" to find wireless devices.

Device name ZP-NE14-S MS171H ZP-NE14-S MS171H	14ZB33ZX5247		DHCP	IP	Gateway	Sub mask	MAC	SW Version	Video number	Audio number
ZP-NE14-S				172, 16, 6, 199	172, 16, 4, 1	255,255,252,0	04:5c:06:92:1e:ae	V40.0.2.14	4	0
	14RY45VY5016	Y	Y	172, 16, 5, 129	172, 16, 4, 1	255.255.252.0	04:5c:06:94:7b:74	V5.2.0.92	1	1
MS171H	14RV33FH5264			172, 16, 5, 252	172, 16, 4, 1	255,255,252,0	04:5c:06:92:9d:11	V40.0.2.7	4	0
	14HF45KH5014	Y	Y	172, 16, 4, 135	172.16.4.1	255.255.252.0	04:5c:06:94:7a:9d	V5.2.0.91	1	1
ZP-NE14-S	14BV33VM5245		-	172, 16, 6, 201	172, 16, 4, 1	255.255.252.0	04:5c:06:92:1d:2e	V40.0.2.14	4	0
ZP-NE14-S	1333000356			172, 16, 5, 10	172, 16, 4, 1	255,255,252,0	04:5c:06:05:2c:4f	V40.0.2.3	4	0
ZP-NE14-S	1333000249			172, 16, 4, 116	172, 16, 4, 1	255,255,252,0	04:5c:06:05:2b:e4	V40.0.2.14	4	0
ZP-IBH15-S1	00000000000	N	Y	172.16.5.172	172.16.4.1	255.255.252.0	04:5c:06:07:fe:6c	V5.1.0.11	1	0
ZP-IBH15-S1	00000000000	N	Y	172, 16, 5, 182	172, 16, 4, 1	255,255,252,0	04:5c:06:07:fe:6e	V5.1.0.11	1	0
ZP-IBH23-S1	00000000000	N	Y	172.16.6.57	172.16.4.1	255.255.252.0	04:5c:06:09:37:ba	V6.0.0.5	1	0
ZP-IBH15-S1	00000000000	N	N	172.16.5.11	172.16.4.1	255.255.252.0	04:5c:06:91:28:d1	V5.1.0.10	1	0
ZP-IBH15-S1	000000000000	N	N	172.16.5.12	172.16.4.1	255.255.252.0	04:5c:06:91:28:d6	V5.1.0.10	1	0
ZP-IBH15-S1	00000000000	N	N	172.16.5.13	172.16.4.1	255.255.252.0	04:5c:06:91:28:e0	V5.1.0.10	1	0
ZP-IBH15-S1	00000000000	N	N	172.16.5.14	172.16.4.1	255.255.252.0	04:5c:06:91:28:e8	V5.1.0.10	1	0
CP-IBT15-S	0000000000	N	Y	172.16.5.255	172.16.4.1	255.255.252.0	04:5c:06:05:ef:47	V5.0.0.13	1	0
ZM-SH721		Y	N	172.16.4.160	172.16.4.1	255.255.252.0	04:5c:06:93:ea:b7	V5.2.0.23	1	1

Next, move the mouse to the device you want to set up and right click. You will see two options, left click on "Networking".

Device name	Device ID	Wireless	DHCP	IP	Gateway	Sub mask	MAC
ZP-NE14-S	14ZB33ZX5247			172.16.5.95	172.16.4.1	255.255.252.0	04:5c:0
ZP-NE14-S	14RV33FH5264			172.16.5.252	172.16.4.1	255.255.252.0	04:5c:0
ZP-NE14-S	148V33VM5245			172.16.6.233	172.16.4.1	255.255.252.0	04:5c:0
ZP-NE14-S	1333000356			172.16.5.10	172.16.4.1	255.255.252.0	04:5c:0
ZP-NE14-S	1333000249			172.16.4.116	172.16.4.1	255.255.252.0	04:5c:0
ZH-IXD15-WAC	1312000000	N	N	172.16.5.169	172.16.4.1	255.255.252.0	04:5c:0
ZP-IBH15-S1	Open	1	Y	172.16.5.172	172.16.4.1	255.255.252.0	04:5c:0
ZP-IBH15-S1		-	Y	172.16.5.182	172.16.4.1	255.255.252.0	04:5c:0
ZP-IBH23-S1	Networking		Y	172.16.6.57	172.16.4.1	255.255.252.0	04:5c:0
ZP-IBH15-S1	00000000000	N	N	172.16.5.11	172.16.4.1	255.255.252.0	04:5c:0
ZP-IBH15-S1	00000000000	N	N	172.16.5.12	172.16.4.1	255.255.252.0	04:5c:0
ZP-IBH15-S1	00000000000	N	N	172.16.5.13	172.16.4.1	255.255.252.0	04:5c:0
ZP-IBH15-S1	00000000000	N	N	172.16.5.14	172.16.4.1	255.255.252.0	04:5c:0
CP-IBT15-S	000000000	N	Y	172.16.5.255	172.16.4.1	255.255.252.0	04:5c:0
ZMD-ISV-BFS23NM				172.16.5.63	172.16.4.1	255.255.252.0	04:5c:4

A new window will open as shown below (notice the two tabs, Networking and WiFi). First, click on the the "WiFi tab", uncheck the DHCP option at the top. Next, enter the IP address and gateway as needed to work with your router.

Networking   WIFI     DHCP   IP     IP   172   16   5   169     Sub mask   255   255   252   0     Gateway   172   16   4   1     MAC   04:5c:06:05:d8:4e   Image: Save   Save	Netwroking Config								x
IP 172 16 5 169   Sub mask 255 255 252 0   Gateway 172 16 4 1   MAC 04:5c:06:05:d8:4e 1	Networking WIFI								
Sub mask 255 255 252 0   Gateway 172 16 4 1   MAC 04:5c:06:05:d8:4e 1	DHCP								
Gateway 172 . 16 . 4 . 1 MAC 04:5c:06:05:d8:4e	IP	172	. 16	·	5	·	169		
MAC 04:5c:06:05:d8:4e	Sub mask	255	. 255	•	252	•	0		
MAC	Gateway	172	. 16	·	4	•	1		
Save	MAC	04:5c:06	5:05:d8:4	e					
Save									
			Sa	ve					

You will want to open the camera in an Internet Explorer browser. Example, if the IP address you gave the camera was 192.168.1.50, then you will type <a href="http://192.168.1.50">http://192.168.1.50</a> in the browser's address bar and then hit enter. Once you get to the login screen, be sure to enable compatibility view in the browser settings (In IE, tools>compatibility view). You will need to login with your username and password.

#### Default username: admin Password: 111111

Click on the gear(settings) the go to the Network section and make sure you uncheck DHCP and save the settings. You then want to click on Wireless Settings. You may need to fill in the proper IP address information to match the settings you entered earlier. You will then double click on the wireless router that should have come up in the list below. You will enter your wireless password and choose connect. It should say succeed and then you will choose save. After both options succeed you can close out of that configuration box.

\*\*\*\*WEP is not an acceptable security key option and the camera will not accept any WiFi network with this type of security encryption. You must use WPA/WPA2.

Page 3 / 4 (c) 2025 Jeremy Schultz <itmanager@eptco.com> | 2025-07-01 00:23 URL: https://kb.zmodo.com/index.php?action=artikel&cat=182&id=95&artlang=en

Unique solution ID: #1094 Author: Jamie Alksnis Last update: 2015-04-23 14:34

> Page 4 / 4 (c) 2025 Jeremy Schultz <itmanager@eptco.com> | 2025-07-01 00:23 URL: https://kb.zmodo.com/index.php?action=artikel&cat=182&id=95&artlang=en