# How to Setup Zmodo IP Cameras to Record on Motion Detection without an NVR.

The current version of ZViewer for PC Computers does not yet support motion detection recording, so we recommend using the free 3rd party software Genius Vision if you would like to set your Zmodo IP Camera to record when motion is detected.

Genius Vision can be downloaded safely from the manufacturer's website here: <u>http://www.geniusvision.net/community.html</u>

The complete PDF manual for Genius Vision can be downloaded safely from the manufacturer's website here: <u>http://geniusvision.net/snapshot/GVUserManual.pdf</u>

Once Genius Vision has been successfully downloaded and opened, please complete these steps to add an IP Camera to Genius Vision:

1) From the Main Menu, select New Objects > New Channel> Camera Setup.

Genius Vision NVR So	ftware CmE - 127.0.0.1		Simple toolb
Live Playback SyncPl			
	Live Mode		() ==
Config System	Config Console	Config Storage	Panel One
Find Cameras	New Channel	New Objects	w channel
	Tree View	Ada Ada Ada Ada Ada	d a remote NVR d a new user d a new user group d new trigger policy d a new map d a new ext. map

- 2) From the Camera Setup tab, select RTSP video source as the Driver.
- 3) Check the box labeled "Use TCP streaming."

Page 1 / 9 (c) 2024 Jeremy Schultz <itmanager@eptco.com> | 2024-05-08 21:46 URL: https://kb.zmodo.com/index.php?action=artikel&cat=1&id=306&artlang=en

4) In the URL field, enter the camera's RTSP url using this template:

The RTSP address of the main stream (720p) is:

rtsp://xxx.xxx.xxx:10554/tcp/av0\_0

The RTSP address of the sub stream (VGA) is:

rtsp://xxx.xxx.xxx:10554/tcp/av0\_1

("xxx.xxx.xxx.xxx" is the device's IP address as reported by the IPC Search tool.)

5) Enter the correct login and password for the camera into the login fields.

The end result will resemble this image:

Camera Setup	Camera Setup Clone Setting:	S			
- H Video Setup		Camera Dri	ver Inform	ation	
Scheduled Recording	Channel name	Camera 1			
PTZ Setup		P	lease input a r	name that is uniq	ue throughout the domai
External PTZ moc	Driver	O IP Cam		Webcam(Dire	ectShow)
Video Analytics Setur		RTSP video source	ce	Remote char	inel
	Description				
	URL	rtsp://192.168.1.1	28: 10554/tcp	/av0_0	
		Use TCP streamin	ng		
	Enter login information	admin	Password	•••••	
	Basic Recording	Unconditional rec	cording		
	Others	Disabled			


6) Click "Apply" to save this camera to Genuis Vision. You should now see the video stream of your camera in the channel grid.

Live Mode Config System Config Console Config Storage Find Cameras New Channel New Objects Tree View All channels All channels All connections	
Find Cameras     New Channel     New Objects       Tree View     No convert     Player       All channels     Camera 1	
Find Cameras     New Channel     New Objects       Tree View     No common (FL)       All channels     Camera 1	nnel
All channels Camera 1 Camera 1	NRL(91.2)
Camera 1	
All connections	
No Channel No Channel No Cha	innel

You can now repeat these steps if you would like to add any additional cameras to Genius Vision.

Genius Vision can easily be setup to record when motion is activated by any of the cameras that are configured on Genius Vision. Follow these directions to set up motion recording.

1) Click the "Config System" button.



2) In the System Configuration window, select the "Recording Storage Setup" option.

In that menu, click the enabled box until it has a check mark.

Click the box next to MaxSize\_GB and Specify the amount of space to make available for recording.

The default Directory is C:\gvrec\ you can change this in the directory window if you prefer the file to go to a different location.

Click Apply to save these settings.

Local Console Configuration System Configuration Recording Storage Se License Agreement External PTZ module	Dire	Add Delete			(Default) (Gt\gvrec\ (Enabled) D:\gvrec\		
Aux Module     Calculator	Storage	Dire	ctory	,	C:\gvrec\	Based On	Default
NIR Connections All Channels Control Connections Find Cameras Find Ca	SafeFi	Enabled laxSize_GB reeSize_GB ileSize_MB	7	yer 83 5 10	83	Defines maximum u	afe free space in GB.
						Apply	OK Cancel

3) Right-click on your camera image, and select Video Setup from the menu that appears.

In the Camera Setup window, check the box next to PreRecord and ActivityInterval, then scroll down and check the box next to VideoDetect.

If you would like for the client software to flash red when motion is detected, you can also check the box next to ActivityAlarm.


mera Setup	0	hannel	Testing	Driver RTSPCam	Camera Setup	c	hanne	d Testing		Driver RTSPCam
Video Setup Preview Scheduled Recording	Configuration		Default Configuration 2		Wideo Setup     Wideo Setup     Preview     O Scheduled Recording     PTZ Setup	Configuratio		s Default Configuration	on 2	
PTZ Setup External PTZ moc	Desc	ription	Configuration 2	Based On Default	External PTZ mov		riptio	e Configurati	on 2	Based On Default +
Video Analytics Setup 10 module	Record RTSP RTS	P Advan	ced		Wideo Analytics Setup     On the setup	Record RTSP RTS	P Advi	enced		
10 hoose	PreRecord	R	10 10	Enter pre-record interval in second Note this value requires sufficient memory to work correctly.	1	ViossAlarm	×		eff	Select alarm type for video loss
	ActivityInterval	R	10 10	Maximum interval in seconds to consider two activities as one. Not this value also serve the purpose post-record interval.	1	StereoType VideoDetect		-	default	Select stereo-type of camera     Video analytics mode
	ManualRecord		10 10	Minimum manual record interval. If two manual record are requested within this interval, they are considered as an one extended		TranscoderStream			Auto	Video stream used for server transcoding. This setting affects 3G Streaming. JPEG Streaming, Server Video Detect.
	PtzCtrlinterval		30	manual record request. Maximum interval in seconds to consider two PTZ control activities one.		3G Streaming 3PEG Streaming	_		off	<ul> <li>36 Streaming, can be viewed with a supported portable device</li> <li>3PEG Streaming, can be viewed with most PC and portable devices</li> </ul>
	DIOActivity		disal	ed   Opt to treat DL/DO as activity.  Selective streaming of video, alwa		Watermark	_		off	Watemark applied to video data, any modification to the data will be detected

4) After enableing the motion detection-based recording, create the region for  $$P_{\mbox{Page 5}\,/\,9}$$ 

(c) 2024 Jeremy Schultz <itmanager@eptco.com> | 2024-05-08 21:46


URL: https://kb.zmodo.com/index.php?action=artikel&cat=1&id=306&artlang=en

motion detection. To do this, go to the Video Analytics Setup portion of the Camera Setup window. In that section click S-Motion, this adds an S-Motion bubble and indicator dot to the preview window.



5) Click and drag the indicator dot to the desired area in the preview image. This opens a "Create definition of..." dropdown menu.


- Selecting "Region of interest" creates an area which is exclusively rectangular in shape, and can be move or resized as needed.
- Selecting "Region of interest(polygon)" creates a rectangular shape which can be modified to any polygonal shape by adding/removing vertices.
- Selecting "Object size" attempts to have the software determine the region based on the area the indicator dot was dragged to. This option is not recommended.



6) The Created area is where motion will be detected. Once set, click "Apply," and then "OK" to close the Camera Setup window.

7) While motion detection is configured correctly, the camera icon under All channels should have an orange circle icon on it.

When motion is detected, and the channel is recording, the middle dot in the top of the camera screen will turn from black to red, and the camera icon under All channels will also turn red, as shown below.



8) View recorded files sections in the drive previously specified (C:\gvrec\ by default). Once in the folder, double click on the surveillance footage file desired from the list.

Each file will record about 1GB of footage before a new file is created. Depending on the frequency of recording, files can span a longer or shorter period of time. Once you double click, the footage automatically opens in the Genius Vision playback software and can be played back from there.

				00	8
😌 💮 • 📕	Computer      Local Disk	(C:) > gvrec		• 4 Search gyrec	P
Organize •	Include in library •	Share with • New	folder	)ii • 🔟	0
🚖 Favorites	* Name	^	Date modified	Туре	Size
SE Recent P	Pla 9 rv_0001		3/20/2014 12:30 PM	Surveillance Foota	1,026
E Desktop	₩ rv_0002		3/25/2014 2:28 PM	Surveillance Foota	1,027
Downloa	K ♥ N,0003		4/21/2014 2:08 PM	Surveillance Foota	1,024
	9 rv_0004		4/24/2014 1:37 PM	Surveillance Foota	465
Libraries					- 1
Docume	n				
Music	1				
Videos					
10000					
Computer					
Local Dis					- 1
😪 share (\\)	3				- 1
Network Network	* * [				- 1
4 8	tems				
					- 1

Page 8 / 9 (c) 2024 Jeremy Schultz <itmanager@eptco.com> | 2024-05-08 21:46 URL: https://kb.zmodo.com/index.php?action=artikel&cat=1&id=306&artlang=en

Unique solution ID: #1306 Author: Amanda Mayer Last update: 2014-03-24 10:17

> Page 9 / 9 (c) 2024 Jeremy Schultz <itmanager@eptco.com> | 2024-05-08 21:46 URL: https://kb.zmodo.com/index.php?action=artikel&cat=1&id=306&artlang=en