
## CM-I12316GY CM-I11123BK / CM-I12316GY - Recording With iSPY

One of the best pieces of software to record the video footage from the CM-I11123BK and CM-I1231GY is iSPY. It is opensource software that is available for download at <u>www.ispyconnect.com</u>

ONLY the CM-I11123BK and the CM-I12316GY will work with iSPY. Zmodo does not officially support the recording or setup of iSPY other than this article.

- 1. Your camera should already be connected to the network and setup on WiFi. If you haven't done this already, please follow this guide: <u>HERE</u>
- 2. Open iSPY and Click "Add" and choose "IP Camera with Wizard"



3. Select "Zmodo" from the Manufacturer list, select the Model of "CM-I11123BK", and click "Next"

		CM-I	L23160	GΥ
Connect to IP Cameras	;			
Listed	Manufacturer	Zmodo Yawcam Y-cam Yhdo Yoko Yudor Zapa Zanboo ZapCam Zavio Zavio Zavio Zoneminder Zoneminder Zonet ZTE ZyXEL	Get Latest List	
	Model	CM-111123BK •		
Unlisted (scan)	Manufacturer Model	Zmodo CM-11123BK Scan RTSP addresses Scan HTTP addresses		
Scanner + OK				Back Next

4. Type in the username and password for your IP Camera. Leave the Channel at 0.

Connect to IP Cameras			
Enter the usemame and password you use to login to your IP camera			
Usemame	admin	]	
Password			
Channel	0		
		Back	Next
Scanner 🕶 OK			

5. Type in the IP Address and port number for your camera. Default HTTP port for the camera is 99.

## CM-I12316GY

Connect to IP Carr	neras		
IP Address 172.18.16	6.150 Port (HTTP)	99 🕤 Or find your device:	
Adaptor	All Adaptors		
Ports (HTTP only)	80		
	Scan Local Network		
Click Scan then selec the list.	t your IP camera from		
			Back Next
Scanner - OK			

6. Allow iSPY to check which of the URLS are valid. The top URL should be the best one to use. Click "Next" after it has been selected.

Connect to IP Cameras				
Try these URLs to connect to your camera. FFMPEG and VLC options frequently support audio and higher framerates				
© Zmodo:CM-I11123BK: FFMPEG http://admin@172.18.16.150:99/videostream.asf?user=admin{				
Zmodo:CM-I11123BK: FFMPEG http://admin@172.18.16.150:99/videostream.asf				
Zmodo:CM-I11123BK: FFMPEG http://admin@172.18.16.150:99/videostream.asf?user=admin/				
Zmodo:CM-I11123BK: JPEG http://admin@172.18.16.150:99/snapshot.cgi?camera=0				
Zmodo:CM-I11123BK: JPEG http://admin@172.18.16.150:99/snapshot.cgi?user=admin&pwd=				
Zmodo:CM-I11123BK: JPEG http://admin@172.18.16.150:99/snapshot.cgi				
Zmodo:CM-I11123BK: MJPEG http://admin@172.18.16.150:99/videostream.cgi?rate=11				
Zmodo:CM-I11123BK: MJPEG http://admin@172.18.16.150:99/videostream.cgi				
Zmodo:CM-I11123BK: MJPEG http://admin@172.18.16.150:99/videostream.cgi?user=admin&pwd=				
Zmodo:CM-I11123BK: VLC http://admin@172.18.16.150:99/videostream.asf?user=admin&pwd				
Check and filter results Scan camera for more URLs Back Next				
Scanner + OK				

7. Now the camera should be connected and configured to record on motion by default. If you wish to change any more advanced settings, you can do this now. If recording on motion is fine for you, just hit finish.

## CM-I12316GY

Edit Camera (ID: 1, DIR: PHWTA)	
Camera Motion Detection Alerts Record	ng PTZ Save Frames/FTP YouTube Scheduling Storage
Recording Mode	Â
No Recording Record on Mover	nent Detection 💿 Record on Alert
Recording Settings	
Max. Calibration Delay 15 🌲 seco	nds Buffer 2 💼 se
Inactivity Record 8 🚖 seco	nds Max. Record Time 900 🚖 se
Quality	
	e Resolution Variable Framerate)
Trigger Recording None	
Timelapse Enabled	
Timelapse Recording	
Movie	Images
Interval 0 💼 seconds	Interval 0 seconds
Saves a frame to a movie file n seconds. En deactivate.	nter 0 to Saves a frame every n seconds. Enter 0 to dea
Save Every 60 🚔 Minutes	
Frame rate 5	<b>•</b>
Exit this to enable alerts and recording	Help Back Next Finish

8. iSPY must be running in order for recordings to be saved. If it is not running, your camera will not record.

Unique solution ID: #1288 Author: Bryant Irwin Last update: 2014-01-13 17:11